	Application No.	Applicant(s)
	40/050 000	DARTEK BORERT
Notice of Allowability	10/659,002 Examiner	BARTEK, ROBERT Art Unit
•		
	Nasser Ahmad	1772
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is	in this application. If not included nunication will be mailed in due course. THIS
1. This communication is responsive to <u>1/27/2003</u> .		
2. The allowed claim(s) is/are 1,6 and 7.		
3. ☐ Acknowledgment is made of a claim for foreign priority ura) ☐ All b) ☐ Some* c) ☐ None of the:	nder 35 U.S.C. § 119(a)-(d)	or (f).
 Certified copies of the priority documents have 	e been received.	
Certified copies of the priority documents have		
Copies of the certified copies of the priority do	cuments have been receive	ed in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		e a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) I including changes required by the Notice of Draftspers	son's Patent Drawing Revie	w (PTO-948) attached
1) hereto or 2) to Paper No./Mail Date	,	
(b) including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment o	or in the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t	.84(c)) should be written on he header according to 37 C	the drawings in the front (not the back) of FR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 ☐ Notice of I	nformal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413),
	_ Paper No	./Mail Date
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 	08), 7. ⊠ Examiner's	s Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's	s Statement of Reasons for Allowance
of Biological Material	9. ⊠ Other <u>See</u>	Continuation Sheet.

Continuation Sheet (PTOL-37)

Continuation of Attachment(s) 9. Other: Drawings filed on 9/10/2003 are accepted by the examiner.

Application/Control Number: 10/659,002

Art Unit: 1772

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

2. The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered withdrawn claims 22 (second occurrence) to 24 have been renumbered as 23-25 in the amendment filed on 1/27/2006, 6/27/2005 and as originally filed on 9/10/2003.

Claims 14-25 have been cancelled as being directed non-elected without traverse invention group.

3. The following is an examiner's statement of reasons for allowance:

Applicants' arguments in amendment filed on January 27, 2006 and a review of the instant amended claims has convinced the examiner that the claims are allowable over the applied prior art of record. The prior art fails to teach or suggest a roll of pre-

Application/Control Number: 10/659,002

Art Unit: 1772

fabricated asphalt-based roofing membrane consisting essentially of an asphalt saturated reinforcing substrate, a separate top asphalt layer overlays and is coextensive with the top major surface of the substrate, a separate bottom asphalt layer overlays and is coextensive with the bottom major surface of the substrate, a preformed highly reflective thermoplastic elastomer consisting essentially of a polyvinyl chloride material and a reflective pigment forms a top surface of the exposed portion of the top major surface of the substrate, an impermeable polymer primer layer is positioned intermediate the top asphalt layer and the reflective layer, and is bonded directly to said two layers, and at least one of the top and bottom major surfaces of the membrane is provided with a release liner sheet. Also, no evidentiary support could be provided to support the position that the instant claimed invention would have been obvious to one having ordinary skill in the art.

Further, Urbanek fails to show that its acrylic shielding layer contains filler that materially affects its properties and also fails to show that the shielding layer would exhibit an initial solar reflectance of 0.65 and a solar reflectance of at least 0.59 after three years.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nasser Ahmad whose telephone number is 571-272-

Application/Control Number: 10/659,002

Art Unit: 1772

1487. The examiner can normally be reached on 7:30 AM to 5:00 PM, and on alternate

Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Nasser Ahmad

Primary Examiner

Art Unit 1772

N. Ahmad.

February 9, 2006.